STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	TN4708	A. BUILDING _____ B. WING _____	C 09/20/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
HOLSTON HEALTH & REHABILITATION CENTI	3916 BOYDS BRIDGE PIKE KNOXVILLE, TN 37914

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
N 002	1200-8-6 No Deficiencies During complaint investigation #30205, conducted on September 19, 2012, at Holston Health and Rehabilitation Center, no deficiencies were cited in relation to the complaint under chapter 1200-8-6, Standards for Nursing Homes.	N 002		